

Visual evaluation of early (~ 4-cell) mammalian embryos.

How well does it predict subsequent viability?

Marie-Noël Bruné Rossel

REFERENCES

Aberdeen Fertility Centre. Medi-CAL Unit

<http://www.aberdeenfertility.org.uk/page.php?p=glossary.php?letter=f>

April 27th 2003-05-07

Ahern TJ. and Gardner DK. (1998) Culturing bovine embryos in groups stimulates blastocyst development and cell allocation to the inner cell mass. *Theriogenology* 49, 194.

Antczak M and Van Blerkom JV (1999) Temporal and spatial aspects of fragmentation in early human embryos: possible effects on developmental competence and association with the differential elimination of regulatory proteins from polarised domains. *Human Reproduction* 14, 429–447

Assisted Reproduction Unit, Aberdeen University, Aberdeen Maternity Hospital, Foresterhill. Ovid: Bibliographic records.

<http://gateway2.ovid.com/ovidweb.cgi>

April 30th 2003

Balaban B., Urman B., Isiklar A., Alatas C., Aksoy S., Mercan R., Mumcu A and Nuhoglu A (2001) The effect of pronuclear morphology on embryo quality parameters and blastocyst transfer outcome. *Human Reproduction* 16, No11, 2357-2361.

Balaban B., Urman B., Alatas C., Mercan R., Aksoy S and Isiklar A (2001) Blastocyst-stage transfer of poor-quality cleavage-stage embryos results in higher implantation rates. *Fertility and Sterility* 75, (4) 514-518.

Bavister BD (1995). Culture of preimplantation embryos: facts and artifacts. *Human Reproduction Update* 1, (2) 91-148.

Bavister BD. and Boatman DE (1997). The neglected human blastocyst revisited. *Human Reproduction* 12, 1607-1610,

Behboodi E., Anderson G.B., BonDurant R.H et al (1995) Birth of large calves that developed from in-vitro derived bovine embryos. *Theriogenology* 44, 227-232.

Behr B., Pool TB., Milki AA (1999) Preliminary clinical experience with human blastocyst development *in vitro* without co-culture. *Human Reproduction* 14, 454-457

Bongso A. (1999). Handbook on blastocyst culture. Pp.49-76. Singapore. Sydney Press.

- Bongso A. and Gardner DK. (1999). Embryo development. In: *Handbook of In vitro Fertilization*. Trounson A, Gardner DK (eds). Pp 167-177. CRC Press
- Bongso A., Sakkas D. and Gardner DK. (2000). Coculture of embryos with somatic helper cells. In: *Handbook of In vitro Fertilization*. Trounson A, Gardner DK (eds). Pp 181-203. CRC Press.
- Bos-Mikich A., Mattos ALG. and Ferrari AN. (2001). Early cleavage of human embryos: an effective method for predicting successful IV/ICSI outcome. *Human Reproduction* 16, (12) 2658-2661.
- Brison DR. (2000). Overview: Are blastocysts better? *Human Fertility* 3, 227-228.
- Butcher L., Coates A., Martin K.L., Rutherford A.J. and Leese HJ. (1998). Metabolism of pyruvate by the early human embryo. *Biology of Reproduction* 58, 1054-1056.
- Butterworth S. (2001). Blastocyst culture: myth or magic?. *Human Fertility* 4, 109-106.
- Conaghan J., Hardy K., Handyside AH., Winston R., Leese HJ. (1993). Selection criteria for human embryo transfer: A comparison of pyruvate uptake and morphology. *Journal of Assisted Reproduction and Genetics* 10 (1) 21-30
- Dawson KJ., Conaghan J., Ostera G., Winston R and Hardy K. (1995) Delaying transfer to the third day post-insemination, to select non-arrested embryos, increases development to the fetal heart stage. *Human Reproduction* 10 (No1) 177-182.
- Dokras A, Sargent L and Barlow DH (1993). Human blastocyst grading: an indicator of developmental potential?. *Human Reproduction* 8, 2119.
- Edwards RG. (2000) Human embryos *in vitro*: pioneer illustrations of oocyte maturation, fertilization, cleavage and blastulation. *Human Reproduction* 15 (Suppl. 4), 1-9.
- Edwards RG. and Beard HK. (1999). Is the success of human IVF more a matter of genetics and evolution than growing blastocysts?. *Human Reproduction* 14, 1-4
- Elder K. and Dale B. (2000) *In vitro* fertilization. 2nd edition. pp. 180-186. Cambridge. Cambridge University Press.
- Elder K. and Elliot T. (eds) (1999) Blastocyst Update. Pp 67-125. UK. Action Press.
- Embryo Mail
http://www.lpsi.barc.usda.gov/scripts/odbc.exe/embryomail/boolean_search_output.tpl
August 6th 2003
- Ertzeid G, Dale PO., Tanbo T., Storeng R., Kjekshus E and Abyholm T. (1999). Clinical outcome of day 2 versus day 3 embryo transfer using serum-free culture media: a

prospective randomized study. *Journal of Assisted Reproduction and Genetics* 16, (10) 529-534

FDA (2003) Information and Recommendations for Physicians Involved in the Co-Culture of Human Embryos with NonHuman Animal Cells. US Food and Drug Administration.
<http://www.fda.gov/cber/infosheets/humembcln.htm>
May 10th 2003.

Fisch JD, Rodriguez H., Cross R., Overby G. and Sher G. (2001) The Graduated Embryo Score (GES) predicts blastocyst formation and pregnancy rate from cleavage-stage embryos. *Human Reproduction* 16, 1970-1975.

Gardner DK (2000). Blastocyst culture: toward single embryo transfers. *Human Fertility* 3, 229-237.

Gardner DK and Lane M (1993). Amino acids and ammonium regulate mouse embryo development in culture. *Biology of Reproduction* 48, 377-385.

Gardner DK and Lane M (1996). Alleviation of the “2-cell block” and development to the blastocyst of CF1 mouse embryos: role of amino acids, EDTA and physical parameters. *Human Reproduction* 11, 2703-2712.

Gardner DK and Lane M (1997). Culture and selection of viable blastocysts: a feasible proposition for human IVF. *Human Reproduction Update* 3, 367-382.

Gardner DK. and Lane M. (1999). Embryo culture systems. In: *Handbook of In vitro Fertilization*. Trounson A, Gardner DK (eds). Pp 205-265. CRC Press.

Gardner DK. and Leese HJ. (1999). Assessment of embryo metabolism and viability. In: *Handbook of In vitro Fertilization*. Trounson A, Gardner DK (eds). Pp 348-366. CRC Press.

Gardner DK, Lane M, Calderon I. and Leeton J. (1996). Environment of the preimplantation human embryo *in vivo*: metabolite analysis of oviduct and uterine fluids and metabolism of cumulus cells. *Fertility and Sterility* 65, 349-353.

Gardner DK, Lane M, Schoolcraft W. (2000a). Culture and transfer of viable blastocysts: a feasible proposition for human IVF. *Human Reproduction* 15, 9-23.

Gardner D.K., Lane M., Stevens J., Schlenker T., Schoolcraft WB. (2000b) Blastocyst score affects implantation and pregnancy outcome: towards a single blastocyst transfer. *Fertility and Sterility*, 73, 1155-1158.

Gardner DK., Lane M., Stevens J., Schoolcraft WB. (2001). Non-invasive assessment of human embryo nutrient consumption as a measure of development potential. *Fertility and Sterility* 76 (6) 1175-1180.

Gardner DK, Vella P., Lane M., Wagley L., Schlenker T and Schoolcraft WB (1998) Culture and transfer of human blastocysts increases implantation rates and reduces the need for multiple embryo transfers. *Fertility and Sterility* 69, 84-88

Garello C., Baker H., Rai J., Montgomery S., Wilson P., Kennedy CR and Hartshorne GM. (1999) Pronuclear orientation, polar body placement and embryo quality after intracytoplasmic sperm injection and in-vitro fertilization: further evidence for polarity in human oocytes? *Human Reproduction* 14, (10) 2588-2595.

Gerris J., De Neubourg D., Mangelschots K., Van Royen E., Van de Meersche M and Valkenburg M. (1999). Prevention of twin pregnancy after in-vitro fertilization or intracytoplasmic sperm injection based on strict embryo criteria: a prospective randomized clinical trial. *Human Reproduction* 14, (10) 2581-2587.

Gianaroli L., Magli MC, Munne S (1997). Will preimplantation genetic diagnosis assist patients with a poor prognosis to achieve pregnancy?. *Human Reproduction* 12, 1762-1767.

Gianaroli L. (2000) Preimplantation genetic diagnosis: polar body and embryo biopsy. *Human Reproduction* 15 (suppl.4), 69-75.

Giorgetti C., Terriou P., Auquier P. (1995) Embryo score to predict implantation after in-vitro fertilization: based on 957 single embryo transfers. *Human Reproduction* 10, 2427-2431.

Gott AL, Hardy K., Winston RML and Leese HJ (1990). Non invasive measurement of pyruvate and glucose uptake and lactate production by single human preimplantation embryos. *Human Reproduction* 5, 104-108.

Gregory L and Leese H. (1996). Determinants of oocyte and preimplantation embryo quality: metabolic requirements and the potential role of cumulus cells. *Human Reproduction* 11, 96-102.

Hardy K., Hooper MAK., Handyside AH., Rutherford AJ., Winston RML., and Leese HJ (1989). Non-invasive measurement of glucose and pyruvate uptake by individual human oocytes and preimplantation embryos. *Human Reproduction* 4, 188-191.

Hardy K., Martin KL., Leese HJ, Winston RM. and Handyside AH (1990) Human preimplantation development *in vitro* is not adversely affected by biopsy at the 8-cell-stage. *Human Reproduction* 5, 708-714.

Hardy K. (1999). Apoptosis in the human embryo. *Reviews of Reproduction* 4, 125-134.

Harper JC. and Delhanty JD (1996). Detection of chromosomal abnormalities in human preimplantation embryos using FISH. *Journal of Assisted Reproduction and Genetics* 13, 137-139.

Hartshorne GM. (2000). The embryo. *Human Reproduction*, 15 (Suppl 4) 31-41.

Hartshorne GM. (2001). Factors controlling embryo viability. Human Fertility 4, 225-234.

Houghton F., Hawkhead J., Humpherson P., Hogg J., Balen A., Rutherford A., Leese HJ. (2002). Non-invasive amino-acid turnover predicts human embryo developmental capacity. Human Reproduction 17, (4) 999-1005.

Huang MZ, Chen SL, Xing FQ., (2000) Study on embryo morphology and clinical result of intracytoplasmic sperm injection for infertility.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12426195&dopt=Abstract

Irvine Scientific

<http://www.irvinesci.com/web1/website/techinfo/index.cfm>

July 10th 2003

Jackson, K.V., Ginsburg, E.S., Hornstein, M.D., Rein M., and Clarke R. (1998) Multinucleation in normally fertilized embryos is associated with an accelerated ovulation induction response and lower implantation and pregnancy rates in *in vitro* fertilization-embryo transfer cycles. Fertility and Sterility, 70 (1) 60-66.

Jones A (2003) Alpha Science: Choosing the right embryo.

www.ivf.net/cgi-bin/webbs/amc/config.pl?read=10

April 30th 2003.

Kane MT, Morgan PM, and Coonan C (1997). Peptide growth factors and preimplantation development. Human Reproduction Update 3, 137-157.

Kausche A., Jones G., Trounson A., Figueredo F., MacLachlan V and Lolatgis N. (2001) Sex ratio and birth weights of infants born as a result of blastocyst transfers compared with early cleavage stage embryo transfers. Fertility and Sterility 76, (4) 688-693.

Kligman, I., Benadiva, C., Alikani, M., et al. (1996) The presence of multinucleated blastomeres in human embryos is correlated with chromosomal abnormalities. Human Reproduction, 11, 1492-1498.

Kuran M., Robinson JJ., Staines ME. and McEvoy T.G. (2000) Development and *de novo* protein synthetic activity of bovine embryos produced *in vitro* in different culture systems. Theriogenology 55, 593-606.

Lane, M. and Gardner, D. (1996) Selection of viable mouse blastocysts prior to transfer using a metabolic criterion. Human Reproduction. 11, 1975-1978.

Lane, M. and Gardner, D. (1997) Differential regulation of mouse embryo developments and viability by amino acids. Journal of Reproduction and Fertility 109, 153-164.

Lane M., Gardner DK., Hasler MJ., Hasler FH. (2003) Use of G1.2/G2.2 media for commercial bovine embryo culture: equivalent development and pregnancy rates compared to co-culture. *Theriogenology* 60, 407-419.

Langley MT., Marek. DM., Gardner DK., Doody KM., Doody KJ. (2001). Extended embryo culture in human assisted reproduction treatments. *Human Reproduction* 16 (5) 902-908.

Laverge H, De Sutter P., Van der Elst J. and Dhont M. (2001) A prospective randomised study comparing day 2 and day 3 embryo transfer in human IVF. *Human Reproduction* 16, 476-480.

Lawitts JA and Biggers JD (1991) Optimization of mouse embryo culture media using simplex methods. *Journal of Reproduction and Fertility* 91, 543-556.

Leppens-Luisier G., and Sakkas D (1997). Development, glycolitic activity and viability of preimplantation mouse embryos subjected to different periods of glucose starvation. *Biology of Reproduction* 56, 589-596.

Lesny P, Killick SR., Tetlow RL., Robinson J and Maguiness SD (1998). Embryo transfer – can we learn anything new from the observation of junctional zone contractions? *Human Reproduction* 13, 1540-1546.

Lim JM., Reggio BC., Godke RA., Hansel W (1996) A continuous flow, perifusion culture system for 8 to 16-cell bovine embryos derived from *in vitro* culture. *Theriogenology* 46, (8) 1441-1450

Lundin K, Bergh C., Hardarson T. (2001) Early embryo cleavage is a strong indicator of embryo quality in human IVF. *Human Reproduction* 16, 2652-2657

Lundin K, Rogberg L, Hamberger L. (1998) Does the cleavage rate of the embryo affect the pregnancy and implantation rates?. *Human Reproduction* 13 (Abstr Book 1), 332-333

Martin KL. (2000). Nutritional and metabolic requirements of early cleavage stage embryos and blastocysts. *Human Fertility* 3, 247-254.

Martin KL., Barlow DH., and Sargent IL. (1998). Heparin-binding epidermal growth factor significantly improves human blastocyst development and hatching in serum-free medium. *Human Reproduction* 13, 1645-1652

McEvoy T.G., Sinclair KD., Young LE., Wilmut I. and Robinson JJ. (2000). Large offspring syndrome and other consequences of ruminant embryo culture *in vitro*: relevance to blastocyst culture in human ART. *Human Fertility* 3, 238-246.

Milki AA, Fisch JD. and Behr B. (1999). Two blastocyst transfer has similar pregnancy rates and a decreased multiple gestation rate compared to three blastocyst transfer. *Fertility and Sterility* 72, 225-228

Milki AA., Hinckley MD, Fisch JD., Dasig D and Behr B (2000). Comparison of human blastocyst transfer with day 3 embryo transfer in similar patient populations. *Fertility and Sterility* 73, 126-129.

Montag H and Van der Ven H. (2001) Evaluation of pronuclear morphology as the only selection criterion for further embryo culture and transfer: results of a prospective multicentre study. *Human Reproduction* 16, (11) 2384-2389

Munne S. and Cohen J. (1998) Chromosome abnormalities in human embryos. *Human Reproduction Update* 4, 842-855.

Olson SE., Seidel GE (2000) Culture of in-vitro produced bovine embryos with vitamin E improves development *in vitro* and after transfer to recipients. *Biology of Reproduction* 62, 248-252

Oxford Fertility Unit Website
<http://www.fert.org.uk/intro.htm>
May 5th 2003

Parrinaud J., Mieusset R., Vietiez G. et al (1993) Influence of sperm parameters on embryo quality. *Fertility and Sterility* 60, 888-892.

Pelinck, M.J., De Vos, M., Dekens, M., Van der Elst J, Sutter P., and Dhont Met al. (1998) Embryos cultured *in vitro* with multinucleated blastomeres have poor implantation potential in human in-vitro fertilization and intracytoplasmic sperm injection. *Human Reproduction* 13, (4) 960-963.

Pickering, S.J., Taylor, A., Johnson, M.H., et al. (1995) An analysis of multinucleated blastomere formation in human embryos. *Human Reproduction* 10, 1912-1922.

Plachot M. (2000) The blastocyst. *Human Reproduction* 15 (Suppl. 4), 49-58.

Plachot M, Belaish-Allart J., Mayenga JM., Chouraqui A., Serkine AM. and Tesquier L. (2000) Blastocyst stage transfer: the real benefits compared to early embryo transfer. *Human Reproduction* 15 (Supplement 6), 24-30.

Puissant F., Van Rysselberge M., Barlow P., Deweze J and Leroy F. (1987) Embryo scoring as a prognostic tool in IVF treatment. *Human Reproduction* 2, (8) 705-708.

Quinn, P. (1995) Enhanced results in mouse and human embryo culture using a modified human tubal fluid medium lacking glucose and phosphate. *Journal of Assisted Reproduction and Genetics*, 12, 97-105

Reis A., McCallum G.J., Staines M.E., Ewen M., Rooke J.A., Lomax M.A. and McEvoy T.G. (2003) Antioxidant provision sustains ovine preimplantation embryo development and

mitochondrial function *in vitro* in the presence of polyunsaturated fatty acid-enriched serum. Paediatric Research 53, 48A

Reitzer, L., B. Wice, and D. Kennel. (1980) The pentose cycle: control and essential function in HeLa cell nucleic acid synthesis. Journal of Biological Chemistry, 255, 5616-5626

Rienzi L., Ubaldi F., Iacobelli M., Ferrero S., Minasi MJ., Martinez F., Tesarik J. and Greco E. (2002) Day 3 embryo transfer with combined evaluation at the pronuclear and cleavage stages compares favourably with day 5 blastocyst transfer. Human Reproduction 17, 1852-1855.

Rijnders PM and Jansen CA (1998) The predictive value of day 3 embryo morphology regarding blastocyst formation, pregnancy and implantation rate after day 5 transfer following in-vitro fertilization or intracytoplasmic sperm injection. Human Reproduction 13, 2869-2873.

Sakkas D. (1999) The use of blastocyst culture to avoid inheritance of an abnormal paternal genome after ICSI. Human Reproduction 14, 4-5.

Sakkas D., Percival G., D'Arcy Y., Sharif K and Afnan M. (2001) Assessment of early cleaving *in vitro* fertilized human embryos at the 2-cell stage before transfer improves embryo selection. Fertility and Sterility 76, (6) 1150-1156.

Sakkas, D., Shoukir, Y., Chardonnens, D., Bianchi PG. and Campana A (1998) Early cleavage of human embryos to the two-cell stage after intracytoplasmic sperm injection as an indicator of embryo viability. Human Reproduction, 13, (1) 182-187.

Salumets A, Hyden Granskog C., Makinen S., Suikkari AM., Tiitinen A and Tuuri T. (2003) Early cleavage predicts the viability of human embryos in elective single embryo transfer procedures. Human Reproduction 18, (4) 821-825.

Salumets A, Hyden Granskog C., Suikkari AM., Tiitinen A and Tuuri T. (2001). The predictive value of pronuclear morphology of zygotes in the assessment of human embryo quality. Human Reproduction 16, (10) 2177-2181.

Science Update. Sperm screened before injection
<http://www.nature.com/nsu/030804/030804-14.html>
August 14th 2003

Scott, L. (2002) Embryological strategies for overcoming recurrent assisted reproductive technology treatment failure. Human Fertility, 5, 206-214

Scott, L., Alvero, R., Leondires, M. and Miller B. (2000) The morphology of human pronuclear embryos is positively related to blastocyst development and implantation. Human Reproduction, 15, (11) 2394-2403.

Scott, L.A. and Smith, S. (1998) The successful use of pronuclear embryo transfers the day following oocyte retrieval. *Human Reproduction*, 13, (4) 1003-1013.

Shaw JM, Oranratnachai A and Trounson AO (2000). Fundamental cryobiology of mammalian oocytes and ovarian tissue. *Theriogenology* 53, 59-72

Shoukir Y., Campana A., Farley T., Sakkas D. (1997) Early cleavage of *in vitro* fertilized human embryos to the 2-cell stage: a novel indicator of embryo quality and viability. *Human Reproduction* 12, 1531-1536.

Sinclair KD., Mc Evoy TG., Carolan C. et al (1998). Conceptus growth and development following *in vitro* culture of ovine embryos in media supplemented with bovine sera. *Theriogenology* 49, 218.

Staessen C., Camus M., Bollen N. et al (1992) The relationship between embryo quality and the occurrence of multiple pregnancies. *Fertility and Sterility* 57, 626-630.

Steer CV, Mills CL, Tan SL., Campbell S., Edwards RG. (1992) The cumulative embryo score: a predictive embryo scoring technique to select the optimal number of embryos to transfer in an in-vitro fertilization and embryo transfer programme. *Human Reproduction* 7, 117-119.

Stryer L. (1988) Biochemistry. 3rd edition. W.H. Freeman and Co. New York.

Tao J., Tamis R., Fink K., Williams B., Nelson-White T and Craig R. (2002) The neglected morula/compact stage embryo transfer. *Human Reproduction* 17, (6) 1513-1518.

Tervit HR, Whittingham DG and Rowson LEA (1972) Successful culture *in vitro* of sheep and cattle ova. *Journal of Reproduction and Fertility* 30, 493-497

Tesarik, J. and Greco, E. (1999) The probability of abnormal preimplantation development can be predicted by a single static observation on pronuclear stage morphology. *Human Reproduction*, 14, 1318-1323.

Tesarik J, Junca AM., Hazout A, Aubriot FX., Nathan C., Cohen-Bacrie P and Dumont-Hassan M. (2000). Embryos with high implantation potential after intracytoplasmic sperm injection can be recognized by a simple, non-invasive examination of pronuclear morphology. *Human Reproduction* 15, (6) 1396-1399.

Thompson, J. (1995) Lamb birth weight following transfer is affected by the culture system used for pre-elongation development of embryos. *Biology of Reproduction* 53, 1385-1391.

Thompson JG., and Peterson AJ (2000). Bovine culture *in vitro*: new developments and post-transfer consequences. *Human Reproduction* 15 (Suppl 5) 59-67.

Tsirigotis M (1998). Blastocyst stage transfer: pitfalls and benefits. Too soon to abandon current practice? *Human Reproduction* 13, 1632-1637.

Van Langendonck A, Demylle D, Wyns C, Nisolle M, Donneze J. (2001) Comparison of G1.2/G2.2 and Sydney IVF cleavage/blastocyst sequential media for the culture of human embryos: a prospective, randomized, comparative study. *Fertility and Sterility* 76(5), 1023-1031.

Van Langendockt A., Wyns C., Godin PA., Toussaint-Denielle D and Donneze J (2000) Atypical hatching of a human blastocyst leading to monozygotic twins: a case report. *Fertility and Sterility* 74, 1047-1050.

Van Royen E, Mangelschots K, De Neubourg D (1999) Characterization of a top quality embryo, a step towards single-embryo transfer. *Human Reproduction* 14, 2345-2349.

Verlinsky Y., Ginsberg N., Lifchez A. (1990) Analysis of the first polar body: preconception genetic diagnosis. *Human Reproduction* 5, 826-829.

Visser, D.S. and Fourie, F.R. (1993) The applicability of the cumulative embryo score system for embryo selection and quality control in an in-vitro fertilization/embryo transfer programme. *Human Reproduction*, 8, (10) 1719-1722

Wales RT., Whittingham DG., Hardy K. and Craft IL (1987) Metabolism of glucose by human embryos. *Journal of Reproduction and Fertility* 79, 289-297.

Walker SK., Heard TM. and Seaman RF. (1992) *In vitro* culture of sheep embryos without co-culture: success and perspectives. *Theriogenology* 37, 111.

Weimer KE, Cohen J., Tucker MJ and Godke A (1998). The application of coculture in assisted reproduction: 10 years of experience with human embryos. *Human Reproduction* 13, (Suppl. 4) 226-238.

Wittever C., Bettahar Lebugle K., Ohl J., Rongieres C., Nisand I and Gerlinger P. (2000) Zygote evaluation: an efficient tool for embryo selection. *Human Reproduction* 15, (12) 2591-2597.

Ziebe S, Petersen K., Lindenberg S., Andersen AG., Gbrielsen A. and Niboe Andersen A. (1997) Embryo morphology or cleavage stage: how to select the best embryos for transfer after in-vitro fertilization. *Human Reproduction* 12, 1545-1549.